

FEATURES & BENEFITS

-  cable and fibre optic line markers mounted in bases
-  easy installation by removing from base and crimping on cables, which saves time and ensures convenience
-  overprint on both marker sides
-  wide selection of characters

LOGISTIC DATA

Quantity in package [pcs] 5

Material is hard, very springy.
The OPM has the same overprint on both sides, which facilitates reading the marking.
1 pcs. = 30 markers on a bar.

APPLICATION

Family of the OPM markers for marking wires, optical waveguides, cables of 1÷6 mm outer diameter

MECHANICAL DATA

Colour	white
Overprint colour	black
Material	POM
Operating temperature [°C]	-30 ÷ +90



Type	Index Ergom	Cable external diameter [mm]	Sign
OPM-2"/" (5 PCS)	E04ZP-01010203803	2,60 ÷ 3,50	-
OPM-2"/" (5 PCS)	E04ZP-01010203703	2,60 ÷ 3,50	+
OPM-2"/"0" (5 PCS)	E04ZP-01010200103	2,60 ÷ 3,50	0
OPM-2"/"1" (5 PCS)	E04ZP-01010200203	2,60 ÷ 3,50	-
OPM-2"/"2" (5 PCS)	E04ZP-01010200303	2,60 ÷ 3,50	2
OPM-2"/"3" (5 PCS)	E04ZP-01010200403	2,60 ÷ 3,50	3
OPM-2"/"4" (5 PCS)	E04ZP-01010200503	2,60 ÷ 3,50	4
OPM-2"/"5" (5 PCS)	E04ZP-01010200603	2,60 ÷ 3,50	5
OPM-2"/"6" (5 PCS)	E04ZP-01010200703	2,60 ÷ 3,50	6
OPM-2"/"7" (5 PCS)	E04ZP-01010200803	2,60 ÷ 3,50	7
OPM-2"/"8" (5 PCS)	E04ZP-01010200903	2,60 ÷ 3,50	8
OPM-2"/"9" (5 PCS)	E04ZP-01010201003	2,60 ÷ 3,50	9
OPM-2"/"A" (5 PCS)	E04ZP-01010201103	2,60 ÷ 3,50	A
OPM-2"/"B" (5 PCS)	E04ZP-01010201203	2,60 ÷ 3,50	B
OPM-2"/"C" (5 PCS)	E04ZP-01010201303	2,60 ÷ 3,50	C
OPM-2"/"D" (5 PCS)	E04ZP-01010201403	2,60 ÷ 3,50	D
OPM-2"/"E" (5 PCS)	E04ZP-01010201503	2,60 ÷ 3,50	E
OPM-2"/"F" (5 PCS)	E04ZP-01010201603	2,60 ÷ 3,50	F
OPM-2"/"G" (5 PCS)	E04ZP-01010201703	2,60 ÷ 3,50	G
OPM-2"/"H" (5 PCS)	E04ZP-01010201803	2,60 ÷ 3,50	H
OPM-2"/"I" (5 PCS)	E04ZP-01010201903	2,60 ÷ 3,50	I
OPM-2"/"J" (5 PCS)	E04ZP-01010202003	2,60 ÷ 3,50	J
OPM-2"/"K" (5 PCS)	E04ZP-01010202103	2,60 ÷ 3,50	K
OPM-2"/"L" (5 PCS)	E04ZP-01010202203	2,60 ÷ 3,50	L
OPM-2"/"M" (5 PCS)	E04ZP-01010202303	2,60 ÷ 3,50	M
OPM-2"/"N" (5 PCS)	E04ZP-01010202403	2,60 ÷ 3,50	N
OPM-2"/"O" (5 PCS)	E04ZP-01010202503	2,60 ÷ 3,50	O

Type	Index Ergom	Cable external diameter [mm]	Sign
OPM-2"/"P" (5 PCS)	E04ZP-01010202603	2,60 ÷ 3,50	P
OPM-2"/"Q" (5 PCS)	E04ZP-01010202703	2,60 ÷ 3,50	Q
OPM-2"/"R" (5 PCS)	E04ZP-01010202803	2,60 ÷ 3,50	R
OPM-2"/"S" (5 PCS)	E04ZP-01010202903	2,60 ÷ 3,50	S
OPM-2"/"T" (5 PCS)	E04ZP-01010203003	2,60 ÷ 3,50	T
OPM-2"/"U" (5 PCS)	E04ZP-01010203103	2,60 ÷ 3,50	U
OPM-2"/"V" (5 PCS)	E04ZP-01010203203	2,60 ÷ 3,50	V
OPM-2"/"W" (5 PCS)	E04ZP-01010203303	2,60 ÷ 3,50	W
OPM-2"/"X" (5 PCS)	E04ZP-01010203403	2,60 ÷ 3,50	X
OPM-2"/"Y" (5 PCS)	E04ZP-01010203503	2,60 ÷ 3,50	Y
OPM-2"/"Z" (5 PCS)	E04ZP-01010203603	2,60 ÷ 3,50	Z
OPM-2/BN (5 PCS)	E04ZP-01010204003	2,60 ÷ 3,50	No overprint
OPM-2/UZ (5 PCS)	E04ZP-01010203903	2,60 ÷ 3,50	UZ - earthing symbol
OPM-3"/" - " (5 PCS)	E04ZP-01010303803	3,25 ÷ 4,50	-
OPM-3"/" + " (5 PCS)	E04ZP-01010303703	3,25 ÷ 4,50	+
OPM-3"/" 0 " (5 PCS)	E04ZP-01010300103	3,25 ÷ 4,50	0
OPM-3"/" 1 " (5 PCS)	E04ZP-01010300203	3,25 ÷ 4,50	-
OPM-3"/" 2 " (5 PCS)	E04ZP-01010300303	3,25 ÷ 4,50	2
OPM-3"/" 3 " (5 PCS)	E04ZP-01010300403	3,25 ÷ 4,50	3
OPM-3"/" 4 " (5 PCS)	E04ZP-01010300503	3,25 ÷ 4,50	4
OPM-3"/" 5 " (5 PCS)	E04ZP-01010300603	3,25 ÷ 4,50	5
OPM-3"/" 6 " (5 PCS)	E04ZP-01010300703	3,25 ÷ 4,50	6
OPM-3"/" 7 " (5 PCS)	E04ZP-01010300803	3,25 ÷ 4,50	7
OPM-3"/" 8 " (5 PCS)	E04ZP-01010300903	3,25 ÷ 4,50	8
OPM-3"/" 9 " (5 PCS)	E04ZP-01010301003	3,25 ÷ 4,50	9
OPM-3"/" A " (5 PCS)	E04ZP-01010301103	3,25 ÷ 4,50	A
OPM-3"/" B " (5 PCS)	E04ZP-01010301203	3,25 ÷ 4,50	B
OPM-3"/" C " (5 PCS)	E04ZP-01010301303	3,25 ÷ 4,50	C
OPM-3"/" D " (5 PCS)	E04ZP-01010301403	3,25 ÷ 4,50	D
OPM-3"/" E " (5 PCS)	E04ZP-01010301503	3,25 ÷ 4,50	E
OPM-3"/" F " (5 PCS)	E04ZP-01010301603	3,25 ÷ 4,50	F
OPM-3"/" G " (5 PCS)	E04ZP-01010301703	3,25 ÷ 4,50	G
OPM-3"/" H " (5 PCS)	E04ZP-01010301803	3,25 ÷ 4,50	H
OPM-3"/" I " (5 PCS)	E04ZP-01010301903	3,25 ÷ 4,50	I
OPM-3"/" J " (5 PCS)	E04ZP-01010302003	3,25 ÷ 4,50	J
OPM-3"/" K " (5 PCS)	E04ZP-01010302103	3,25 ÷ 4,50	K
OPM-3"/" L " (5 PCS)	E04ZP-01010302203	3,25 ÷ 4,50	L
OPM-3"/" M " (5 PCS)	E04ZP-01010302303	3,25 ÷ 4,50	M
OPM-3"/" N " (5 PCS)	E04ZP-01010302403	3,25 ÷ 4,50	N
OPM-3"/" O " (5 PCS)	E04ZP-01010302503	3,25 ÷ 4,50	O
OPM-3"/" P " (5 PCS)	E04ZP-01010302603	3,25 ÷ 4,50	P
OPM-3"/" Q " (5 PCS)	E04ZP-01010302703	3,25 ÷ 4,50	Q
OPM-3"/" R " (5 PCS)	E04ZP-01010302803	3,25 ÷ 4,50	R
OPM-3"/" S " (5 PCS)	E04ZP-01010302903	3,25 ÷ 4,50	S
OPM-3"/" T " (5 PCS)	E04ZP-01010303003	3,25 ÷ 4,50	T
OPM-3"/" U " (5 PCS)	E04ZP-01010303103	3,25 ÷ 4,50	U
OPM-3"/" V " (5 PCS)	E04ZP-01010303203	3,25 ÷ 4,50	V
OPM-3"/" W " (5 PCS)	E04ZP-01010303303	3,25 ÷ 4,50	W
OPM-3"/" X " (5 PCS)	E04ZP-01010303403	3,25 ÷ 4,50	X
OPM-3"/" Y " (5 PCS)	E04ZP-01010303503	3,25 ÷ 4,50	Y
OPM-3"/" Z " (5 PCS)	E04ZP-01010303603	3,25 ÷ 4,50	Z
OPM-3/BN (5 PCS)	E04ZP-01010303903	3,25 ÷ 4,50	No overprint
OPM-3/UZ (5 PCS)	E04ZP-01010304003	3,25 ÷ 4,50	UZ - earthing symbol
OPM-4"/" - " (5 PCS)	E04ZP-01010403803	4,50 ÷ 6,00	-
OPM-4"/" + " (5 PCS)	E04ZP-01010403703	4,50 ÷ 6,00	+
OPM-4"/" 0 " (5 PCS)	E04ZP-01010400103	4,50 ÷ 6,00	0
OPM-4"/" 1 " (5 PCS)	E04ZP-01010400203	4,50 ÷ 6,00	-
OPM-4"/" 2 " (5 PCS)	E04ZP-01010400303	4,50 ÷ 6,00	2
OPM-4"/" 3 " (5 PCS)	E04ZP-01010400403	4,50 ÷ 6,00	3
OPM-4"/" 4 " (5 PCS)	E04ZP-01010400503	4,50 ÷ 6,00	4
OPM-4"/" 5 " (5 PCS)	E04ZP-01010400603	4,50 ÷ 6,00	5
OPM-4"/" 6 " (5 PCS)	E04ZP-01010400703	4,50 ÷ 6,00	6
OPM-4"/" 7 " (5 PCS)	E04ZP-01010400803	4,50 ÷ 6,00	7

Type	Index Ergom	Cable external diameter [mm]	Sign
OPM-4/"8" (5 PCS)	E04ZP-01010400903	4,50 ÷ 6,00	8
OPM-4/"9" (5 PCS)	E04ZP-01010401003	4,50 ÷ 6,00	9
OPM-4/"A" (5 PCS)	E04ZP-01010401103	4,50 ÷ 6,00	A
OPM-4/"B" (5 PCS)	E04ZP-01010401203	4,50 ÷ 6,00	B
OPM-4/"C" (5 PCS)	E04ZP-01010401303	4,50 ÷ 6,00	C
OPM-4/"D" (5 PCS)	E04ZP-01010401403	4,50 ÷ 6,00	D
OPM-4/"E" (5 PCS)	E04ZP-01010401503	4,50 ÷ 6,00	E
OPM-4/"F" (5 PCS)	E04ZP-01010401603	4,50 ÷ 6,00	F
OPM-4/"G" (5 PCS)	E04ZP-01010401703	4,50 ÷ 6,00	G
OPM-4/"H" (5 PCS)	E04ZP-01010401803	4,50 ÷ 6,00	H
OPM-4/"I" (5 PCS)	E04ZP-01010401903	4,50 ÷ 6,00	I
OPM-4/"J" (5 PCS)	E04ZP-01010402003	4,50 ÷ 6,00	J
OPM-4/"K" (5 PCS)	E04ZP-01010402103	4,50 ÷ 6,00	K
OPM-4/"L" (5 PCS)	E04ZP-01010402203	4,50 ÷ 6,00	L
OPM-4/"M" (5 PCS)	E04ZP-01010402303	4,50 ÷ 6,00	M
OPM-4/"N" (5 PCS)	E04ZP-01010402403	4,50 ÷ 6,00	N
OPM-4/"O" (5 PCS)	E04ZP-01010402503	4,50 ÷ 6,00	O
OPM-4/"P" (5 PCS)	E04ZP-01010402603	4,50 ÷ 6,00	P
OPM-4/"Q" (5 PCS)	E04ZP-01010402703	4,50 ÷ 6,00	Q
OPM-4/"R" (5 PCS)	E04ZP-01010402803	4,50 ÷ 6,00	R
OPM-4/"S" (5 PCS)	E04ZP-01010402903	4,50 ÷ 6,00	S
OPM-4/"T" (5 PCS)	E04ZP-01010403003	4,50 ÷ 6,00	T
OPM-4/"U" (5 PCS)	E04ZP-01010403103	4,50 ÷ 6,00	U
OPM-4/"V" (5 PCS)	E04ZP-01010403203	4,50 ÷ 6,00	V
OPM-4/"W" (5 PCS)	E04ZP-01010403303	4,50 ÷ 6,00	W
OPM-4/"X" (5 PCS)	E04ZP-01010403403	4,50 ÷ 6,00	X
OPM-4/"Y" (5 PCS)	E04ZP-01010403503	4,50 ÷ 6,00	Y
OPM-4/"Z" (5 PCS)	E04ZP-01010403603	4,50 ÷ 6,00	Z
OPM-4/UZ (5 PCS)	E04ZP-01010403903	4,50 ÷ 6,00	No overprint
OPM-4/BN (5 PCS)	E04ZP-01010404003	4,50 ÷ 6,00	UZ - earthing symbol

